

## CEMETERY SPECIFICATION TO PLAQUE, HEADSTONE & VAULT SIZING

MARTYN STREET	TYPE		WIDTH (mm)	HEIGHT (mm)		COMMENTS	
	<b>Lawn Plaque</b>						
P1 - P41, NP1 - NP16	(Adult)	One only	380	215	Without lugs	Concrete beam installed – plaque installed by CRC	
CP1 - CP4, WP12 (odd)	(Child)	One only	230	185	Without lugs	Concrete beam installed – plaque installed by CRC	
EP1 – EP48		One only	380	215	Without lugs	Concrete beam installed – plaque installed by CRC	
WP1-WP12 (Except WP9)	(Adult)	One only	380	215	Without lugs	Concrete beam installed – plaque installed by CRC	
B1 - B53	<b>Lawn Headstone</b> Full interment sites Child interment sites	Inscribed part	<1200	600	Overall height incl. base is max. 762mm. Max depth 300mm.	Concrete beam installed – headstone installed by monumental masons in consultation with ganger. Adult Site is 1200W x 2400L Children site is 900W x 1800L	
WH1-WH10		Granite base	<1200	100			
CB1-CB4			< 900				
WP9 (One headstone or one plaque per site)	<b>Lawn Headstone</b>	Inscribed part	500	600	Overall height incl. base is max. 762mm. Max depth 150mm.	Headstone off set from grave centre to allow for adjacent plaque or headstone. Installed by monumental mason.	
		Granite base	500	100			
Inground ashes only sites	<b>Lawn Plaque</b>	B27A Ashes only sites	One only	380	215	Without lugs	Concrete beam installed – plaque installed by CRC
			Inscribed part	<700	600	Overall height incl. base is max. 762mm. Max depth 300mm	Concrete beam installed – headstone installed by monumental masons in consultation with ganger. Site is 500W x 1000L
		Granite base	<700	100			
		B40 Ashes only sites		<1200	600	Overall height incl. base is max. 762mm. Max depth 300mm	
CW1, CW2, CW3	<b>Columbarium Walls</b> (CW1, CW2, CW3 )	Single	136	102	Bevelled edges & brackets	Fitted by CRC	
		Double	152	196	Bevelled edges & brackets	Fitted by CRC	
		(2 <sup>nd</sup> plate)	136	85	Bevelled edges & brackets	Fitted by CRC	
MWS, MES, BWS, BES,	<b>Monumental Section</b>						
MSM1	<b>Mausoleum</b>	MSM1	One size	560	305	Raised edges with lugs	Installed by monumental mason in consultation with ganger Plaque must be fixed to granite using lugs i.e. threaded bolt, washer and nut
			Photo			To be within plaque	Installed by monumental mason in consultation with ganger Must be of a low profile and be recessed into the plaque or granite surface
			2 x vase holders			Centre plaque to be uniform with others on wall	Installed by monumental mason in consultation with ganger
FSD, FSW, FSE	Single Individual Plaque or Headstone Double Interment Grave & Headstone or other memorials	Two sizes	380 230	215 185	<b>Height to be advised but overall base size including concrete must not exceed 1200mm in width. Detailed drawing including all measurements and the materials/hardware being used must be included with application</b>	<b>Plus</b> individual concrete base size no bigger than 1200 x 300 constructed and installed by CRC - <b>OR</b> - Installed by monumental mason or privately in consultation with ganger	
		Inscribed part	<1000				
		Granite base	<1000				
		Granite base	<1000				
			1200	2400L		Installed by monumental mason or privately in consultation with ganger	
		For Child	750	1200L		Installed by monumental mason or privately in consultation with ganger	
	<b>Vaults</b>						
	Above & Below Ground	Outside measure Inside measure	2600 x 1050 x 750 2330 x 790 x 500		Consultation with cemetery ganger required	Constructed and installed by monumental mason in consultation with ganger *Coffin size must fit vault size ** Consultation with ganger necessary	

## CEMETERY SPECIFICATION TO PLAQUE, HEADSTONE & VAULT SIZING

FOREST VIEW	TYPE		WIDTH (mm)	HEIGHT (mm)		COMMENTS	
ANZ, BGN, BHN, FTN, OLI, PNR, TAM	<b>Lawn Burial Plaque</b>	(Adult)	Bronze plaque - 2 per site	380	215	Raised/or bevelled edges with 4 x lugs	Ganger to approve 2 <sup>nd</sup> install for Bronze plaque Section (e.g. ANZ) and site numbers must be cast in the lower right corner of plaque  Plaque must be fixed to granite using lugs i.e. threaded bolt, washer and nut
			Bronze plaque – 2 per site	230	185	Raised/or bevelled edges with 2 lugs	
			Granite Base -1 per site	580	420		
LUL		(Child)	One only	230	185	Raised/or bevelled edges with 2 x lugs	Grave numbers must be cast in the lower right corner of plaque Plaque must be fixed to granite using lugs i.e. threaded bolt, washer and nut
			Granite Base or	370 450	320 450		Plaque must be fixed to granite using lugs i.e. threaded bolt, washer and nut
MEM		(Ashes only)	One only	230	185	Raised/or bevelled edges with 2 x lugs	Grave numbers must be cast in the lower right corner of plaque
			Granite Base	370	320		Plaque must be fixed to granite using lugs i.e. threaded bolt, washer and nut
CW1	<b>Columbarium Wall</b> (CW1)		One size	230	185	Raised edges and no lugs	Internal 135H x 165W x 300D fitted by CRC
CW2 Granite Wall	<b>Granite Columbarium Wall</b> (CW2)		West Side East Side	434 229	334 177	Granite piece in place	Granite piece in place – inscription by monumental mason. Installed by monumental mason in consultation with ganger
CW3 Granite Wall	<b>Granite Columbarium Wall</b> (CW3)		West Side East Side	434	334	Granite piece in place	Granite piece in place – inscription by monumental mason. Installed by monumental mason in consultation with ganger
MED1, MED2, PNR, TAM, ANZ, REP, FTH	<b>Mausoleums – all 8</b>		One size	560	305	Raised/or bevelled edges with lugs	Installed by monumental mason in consultation with ganger. Plaque must be fixed to granite using lugs i.e. threaded bolt, washer and nut
			Photo				Installed by monumental mason in consultation with ganger Must be of a low profile and be recessed into the plaque or granite surface
			Max of 2 vase holders			Centre plaque to be uniform with others on wall	Installed by monumental mason in consultation with ganger
BM – LP1 – 8	<b>Lawn Burial Beam / LP5 Lawn Ashes Beam</b>		One size – 1 plaque per site	380	215	Raised/or bevelled edges without lugs	Concrete beam installed – plaque installed by CRC
	<b>Vaults – Below ground</b>		Outside measure Inside measure	2600 x 1050 x 750 2330 x 790 x 500		Consultation with cemetery ganger required	Constructed and installed privately by monumental mason in consultation with ganger. ** Coffin size must fit vault **

## CEMETERY SPECIFICATION TO PLAQUE, HEADSTONE & VAULT SIZING

GORDONVALE	TYPE		WIDTH (mm)	HEIGHT (mm)		COMMENTS
LP - LP1-8	Lawn Burial (LP- Old Section)	Plaque only	380	215		<b>Plus</b> individual concrete base constructed and installed by CRC Ganger to approve second plaque install Preferred sizing - 380W x 215H
LP – LP9-19	Lawn Burial – (LP - New Section)	One size – one plaque only	380	215	No lugs	Concrete beam installed – plaque installed by CRC
LP - LP20-33>	Lawn Burial (LP - New Section)	One size – one plaque only	380	215	No lugs	Concrete beam installed – plaque installed by CRC
CW1	<b>Columbarium Walls</b> (Old Original) CW1	Single	140	110	Raised edges & no lugs	Fitted by CRC
		Double	152	196	Raised edges & no lugs	Fitted by CRC
		(2 <sup>nd</sup> Plate)	136	85	Raised edges & no lugs	Fitted by CRC
CW2	(End of Mausoleum) CW2	One size	230	185	Raised edges & no lugs	Internal 135H x 165W x 300D fitted by CRC
MSM1	<b>Mausoleum</b> MSM1	One size	560	305	Raised edges with lugs	Installed by monumental mason in consultation with ganger Plaque must be fixed to granite using lugs i.e. threaded bolt, washer and nut
		Photo			To be within plaque	Installed by monumental mason in consultation with ganger Must be of a low profile and be recessed into the plaque or granite surface
		2 x vase holders			Centre of plaque to be uniform with others on wall	Installed by monumental mason in consultation with ganger
COE, RC, VLT, OTH	<b>Monumental Section</b>					
	Single Individual Plaque	Two sizes	380 230	215 185	<b>Height to be advised but overall base size including concrete must not exceed 1200mm in width. Detailed drawing including all measurements and the materials/hardware being used must be included with application</b>	<b>Plus</b> individual concrete base constructed and installed by CRC - <b>OR</b> - Installed by monumental masons or privately in consultation with ganger Consultation with ganger required before works commenced
	or Headstone	Granite base	<1000			
	Double Interment Grave & Headstone	Granite base Adult	<1000 2400L	1200		
	or other memorials	Child	1200L	750		Installed by monumental mason in consultation with ganger Installed by monumental mason in consultation with ganger
	<b>Vaults</b>					
	Above & Below Ground	Outside measure Inside measure	2600 x 1050 x 750 2330 x 790 x 500		Consultation with cemetery ganger required	Constructed and installed privately by monumental mason in consultation with ganger. <b>**Coffin size must fit vault size **</b>

BABINDA	TYPE		WIDTH (mm)	HEIGHT (mm)		COMMENTS
CW2	<b>Columbarium Wall (CW2)</b>	Double	196	152	No lugs	Fitted by CRC
		Single	110	150	No lugs	Fitted by CRC
		(2 <sup>nd</sup> Plate)	85	136	Raised edges & no lugs	Fitted by CRC
	<b>Monumental Section</b>					
	Single Individual Plaque	Two Sizes	380 230	215 185	<b>Height to be advised but overall base size including concrete must not exceed 1200mm in width. Detailed drawing including all measurements and the materials/hardware being used must be included with application</b>	<b>Plus</b> individual concrete base size constructed and installed by CRC - <b>OR</b> - Installed by monumental mason in consultation with ganger
	or Headstone	Granite base	<1000			
	Double Interment Grave & Headstone	Granite base Adult	<1000 1200	2400L		
	or other memorials	Child	750	1200L		Installed by monumental mason in consultation with ganger Installed by monumental mason in consultation with ganger
	<b>Vaults</b>					
	Above & Below Ground	Outside measure Inside measure	2600 x 1050 x 750 2330 x 790 x 500		Consultation with cemetery ganger required	Constructed and installed privately by qualified monumental mason in consultation with ganger. <b>** Coffin size must fit vault size *</b>

## CEMETERY SPECIFICATION TO PLAQUE, HEADSTONE & VAULT SIZING

NELSON RD BABINDA	TYPE		WIDTH (mm)	HEIGHT (mm)		COMMENTS
LP1>	<b>Lawn Plaque (BM)</b>	One size – one plaque only	380	215	Raised edges & no lugs	Concrete beam installed – plaque installed by CRC
LH1>	<b>Lawn Headstone</b> Full interment sites	Inscribed part Granite base	<1200 <1200	600 100	Overall height incl. base is max. 762mm. Max depth 300mm.	Concrete beam installed – headstone installed by monumental mason in consultation with ganger.
CW1	<b>Columbarium Wall (CW1)</b>	One size	230	185	Raised edges & no lugs	Internal 135H x 165W x 300D Fitted by CRC
CW3	<b>Single Granite Columbarium Wall (CW3)</b>	Granite Panel				Granite panel in place – inscription by monumental mason
		Photo				Photos installed by monumental mason in consultation with ganger. Must be low profile and be recessed into the granite surface.
		Max of 1 vase holder			Vase located bottom left or right corner; to be uniform with others on the wall	Vase installed by monumental mason in consultation with ganger. Vase must be mechanically fixed (pinned).
CW4	<b>Double Granite Columbarium Wall (CW4)</b>	Granite Panel				Granite panel in place – inscription by monumental mason in consultation with ganger
		Photo				Photos installed by monumental mason in consultation with ganger. Must be low profile and be recessed into the granite surface.
		Max of 1 Vase holder			Vase located bottom left or right corner; to be uniform with others on the wall	Vases installed by monumental mason in consultation with ganger. Vases must be mechanically fixed (pinned).
VW1	<b>Mausoleum (VW1)</b>	One size	560	305	Raised edges with lugs	Installed by monumental mason in consultation with ganger Plaque must be fixed to granite using lugs i.e. threaded bolt, washer and nut
		Photo				Installed by monumental mason in consultation with ganger Must be of a low profile and be recessed into the plaque or granite surface
		Max of 2 vase holders			Centre of plaque to be uniform with others on wall	Installed by monumental mason in consultation with ganger
MSM2	<b>Granite Mausoleum (MSM2)</b>	Granite Panel				Granite panel in place – inscription by monumental mason in consultation with ganger
		Photo				Photos installed by monumental mason in consultation with ganger. Must be low profile and be recessed into the granite surface.
		Max of 2 vase holders			Vases located bottom left and/or right corners; to be uniform with others on the wall	Vases installed by monumental mason in consultation with ganger. Vases must be mechanically fixed (pinned).
	<b>Vaults - Below ground</b>	Outside measure Inside measure	2600 x 1050 x 750 2330 x 790 x 500		Consultation with cemetery ganger required	Constructed and installed privately by monumental mason in consultation with ganger. ** Coffin size must fit vault size **

PIONEER	Consultation with Cairns Regional Council Cultural Services required. Restrictions on new installations and refurbishments due to heritage listing	Contact Creative Life Project Officer	Please contact Cairns Regional Council on 1300 69 22 47
---------	---	---------------------------------------	---

### NOTES

1. An application to install a memorial, plaque, headstone, or vault must be submitted and approved prior to the commencement of any works.
2. Headstones and cemetery monuments must be constructed and installed in accordance with *Australian Standard: AS 4204-2019 Headstones and cemetery monuments*.
3. Above ground burial structures must be constructed and installed in accordance with *Australian Standard: AS 4425-2020 Above-ground burial structures*.
4. Plaques must be made of cast bronze *unless otherwise specified*.
5. Section and site numbers are to be cast in the lower right corner of plaques *unless otherwise specified*.
6. If photos are attached to plaques, they must be of a low profile and be recessed into the plaque or granite surface.
7. Council is not responsible for the upkeep of monuments, plaques, memorials, or photos.
8. Width and height are guides only and all applications must be checked and approved by the responsible cemetery ganger.